


į.




7


YELLE TECHNOLOGI


1


YEALT BE BE BE





Ţ

















ASATTO TEGRETORS

FIG 13














FIG. 17








YEXTED DECEMBE




NONTO THOUSAND

KEKTED" ZEGZENO



YOYTO TECHTOO

FIG 25







FIG 27







Fig. 29










FIG. 30


FIG. 31











С PRESENT CHANNEL NOT AVAILABLE **NEXT AND PREVIOUS CHANNELS NOT AVAILABLE** INDICATE ERROR TO DEVICE OR **APPLICATION RUN AVAILABILITY** ROUTINE





Fig. 37

219 **∡**

						" 1
Routing Decision Module 220			Configuration Module 222			APPLICATION
TCP/IP Socket Interface Driver(s) 224						PRESENTATION
TCP/IP Router/Gateway Support 226						NETWORKING
PPP Protocol Driver 228	SLIP Protocol Driver 230		Other Protocol Driver 232		Other Protocol Driver 232	DATA-LINK
MDC Interface Driver 234		Inter Dri	CDPD Interface Driver 236		MODEM 'X' Interface Driver 238	DEVICE SPECIFIC
Serial Port Driver 240			Other Physical Layer Driver 242			PHYSICAL INTERFACE